	Application No.	Applicant(s)
Notice of Allowability	10/510,134	BLANC, CHRISTOPHE
	Examiner	Art Unit
	Gunyoung T. Lee	2875
	Gunyoung 1. Lee	2073
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>applicant's amendments and arguments filed 05/09/2006 & 6/20/2006</u> .		
2. The allowed claim(s) is/are <u>17,19-27,29-31 and 33-35</u> .		
 3.		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🧻 to Paper No./Mail Date		
(b) ⊠ including changes required by the attached Examiner's Amendment / Comment or in the Office action of ———————————————————————————————————		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 T Notice of Informal P	atent Application (PTO-152)
Notice of Preferences Glied (175 662) Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	· · · · · · · · · · · · · · · · · · ·
	Paper No./Mail Dat	e
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date		
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		ent of Reasons for Allowance
	9. Other	

Application/Control Number: 10/510,134 Page 2

Art Unit: 2875

DETAILED ACTION

Response to Amendment

- 1. Applicant's amendments filed on May 09, 2006 and Jun 20, 2006 have been entered:
 - Claims 17, 19, 21-27 and 29-31 have been amended;
 - Claims 18, 28 and 32 have been cancelled;
 - New claims 33-35 have been entered;
 - Claims 17, 19-27, 29-31 and 33-35 are pending in this application, with claims 17 and 24 still being independent.
- 2. The corrected or substituted drawings (Fig. 1 and Fig. 5) were received on May 09, 2006. These drawings are approved.

Reasons for Allowance

- 3. Claims 17, 19-27, 29-31 and 33-35 are allowed.
- 4. The following is the examiner's statement of reasons for allowance:
- 5. Claims 17 and 24 are allowed because the prior art fails to show or teach a lightguide plate having a first irregular diffusing pattern formed in the plate, and a second irregular pattern formed in the plate crosscrossing with the first diffusing pattern, wherein first and second diffusing patterns comprise the grooves which are spaced apart at varying distances and having irregularities in depth and width (along the longitudinal axis of the grooves).
- 6. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Application/Control Number: 10/510,134 Page 3

Art Unit: 2875

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Drawings

- 7. The following changes to the drawings have been approved by the examiner and agreed upon by applicant in a conversation with Roland E. Long (Reg. No. 41,949) on Jun 19, 2006:
 - Applicant agreed to resubmit Fig. 3 and Fig. 4, because views in Fig. 3 and Fig. 4
 are not clear.

In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES Replacement Drawing Sheets

Drawing changes must be made by presenting replacement sheets which incorporate the desired changes and which comply with 37 CFR 1.84. An explanation of the changes made must be presented either in the drawing amendments section, or remarks, section of the amendment paper. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). A replacement sheet must include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of the amended drawing(s) must not be labeled as "amended." If the changes to the drawing figure(s) are not accepted by the examiner, applicant will be notified of any required corrective action in the next Office action. No further drawing submission will be required, unless applicant is notified.

Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and within the top margin.

Annotated Drawing Sheets

A marked-up copy of any amended drawing figure, including annotations indicating the changes made, may be submitted or required by the examiner. The annotated drawing sheet(s) must be clearly labeled as "Annotated Sheet" and must be presented in the amendment or remarks section that explains the change(s) to the drawings.

Art Unit: 2875

Timing of Corrections

Applicant is required to submit acceptable corrected drawings within the time period set in the Office action. See 37 CFR 1.85(a). Failure to take corrective action within the set period will result in ABANDONMENT of the application.

If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the "Notice of Allowability." Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136 for filing the corrected drawings after the mailing of a Notice of Allowability.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gunyoung T. Lee whose telephone number is (571) 272-8588. The examiner can normally be reached between 7:30 - 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sandra L. O'Shea can be reached at (571) 272-2378. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

GTL 6/21/2006

> RENEE LUEBKE PRIMARY EXAMINER